

Fig. 1

Fig. 2

10057513-012502

Site Administration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Stop Refresh Home Search Favorites History Mail Print

Address http://patent.bigmachines.com/admin/esales/esales\_admin.jsp Go Links

SUBSCRIBER A Header Information  
Company Information [Commerce](#) | [Admin](#) | [Help](#) | [Logout](#)  
Company Profile Customize settings, branding, flows, and site access for your eSales solution.  
Company Preferences  
Supported Products  
Users  
Groups  
Parts  
Customer Relationship Manager  
Commercial Customization

**esales Customization**

**Customize Branding**

Branding   
Header & Footer

**User Interface**

Page Templates   
Site Flows

**Control Site Access**

\*Allow Guest Access ☒ Yes ☐ No  
Quick Registration:   
Company Permissions:

**Customize Display Attributes**

\*Customize ☐ Yes ☒ No  
Upload files   
Upload Html Image Files:

**Back End Integration**

Administer Integration Settings:

Powered By  
BIGMACHINES

Done Internet

Fig. 3

Site Branding - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Stop Refresh Home Search Favorites History Mail Print

Address [http://patent.bymachines.com/admin/sales/sales\\_branding.asp](http://patent.bymachines.com/admin/sales/sales_branding.asp) Go Links

**Company Preferences** Customize the font and the colors used on your commerce site. Websafe colors are listed in the drop-down list boxes. To preview custom settings click the Preview button. Settings are saved after clicking Accept. Note: When using top navigation for your site, the Sidebar background color should be set to white. Additionally, a dark contrasting text color should be selected.

**Supported Products**

**Users**

**Groups**

**Parts**

**Customer Relationship Manager**

**Commerce Customization**

**Site Branding**

**Fonts**

\*Font-Family:

**Table Row Preferences**

\*Even Row Color:

\*Odd Row Color:

\*Text Color:

\*Hover Color:

**Headers**

\*Background Color:

\*Text Color:

\*Hover Color:

**Top and Bottom Bars**

\*Background Color:

\*Text Color:

\*Hover Color:

\*Border Color:

**Sidebar**

\*Background Image:

\*Background Color:

\*Text Color:

\*Hover Color:

\*Sidebar Spacer:

**Buttons**

\*Button Color:

Done Internet

1057513.012502

Fig. 4a




Fig. 4b





Fig. 4c



1057513-012502

Fig. 5

Supported Machinery Segments Administration List - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Stop Refresh Home Search Favorites History Mail Print

Address http://patent.bognmachines.com/admin/segments/list\_segment\_id=1244738&level=1

SUBSCRIBER A Header Information  
 Company Information [Commerce](#) | [Admin](#) | [Help](#) | [Logout](#)  
 Company Profile  
 Company Preferences

Your company supports the following segments. To support additional segments, click Add. Or select an option from a list box and click List. Options apply to the corresponding segment. For example, to view product lines for a segment, highlight Product Lines and click List.

4 Supported Machinery Segments Administration List

Delete	Name	Select	List
<input type="checkbox"/>	Air Compressors	Product Lines	List
<input type="checkbox"/>	Air Filters	Product Lines	List
<input type="checkbox"/>	Drive Motors	Product Lines	List
<input type="checkbox"/>	Electronic Forms	Product Lines	List
<input type="checkbox"/>	Filter Bag Housings	Product Lines	List
<input type="checkbox"/>	Filter Bags	Product Lines	List
<input type="checkbox"/>	Filter Cartridges	Product Lines	List
<input type="checkbox"/>	Fork Lifts	Product Lines	List
<input type="checkbox"/>	Gas Compressors	Product Lines	List
<input type="checkbox"/>	Heavy Mixers	Product Lines	List
<input type="checkbox"/>	Linear Motors	Product Lines	List
<input type="checkbox"/>	Liquid Filters	Product Lines	List
<input type="checkbox"/>	Machining Centers	Product Lines	List
<input type="checkbox"/>	Mechanical Seals	Product Lines	List
<input type="checkbox"/>	Mixers	Product Lines	List
<input type="checkbox"/>	Motor Couplings	Product Lines	List
<input type="checkbox"/>	Pumps	Product Lines	List
<input type="checkbox"/>	Servo Motors	Product Lines	List

Done Internet

10057513.012502

Fig. 6

Product Line Administration List - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Stop Refresh Home Search Favorites History Mail Print

Address http://patent.bigmachines.com/admin/products/admin\_list\_lines.asp?segment\_id=10

SUBSCRIBER A Header Information  
 Company Information Commerce Admin Help Logout  
 Company Profile  
 Company Preferences  
 Users  
 Groups  
 Parts  
 ESales  
 Customer Relationship Manager  
 Commerce Customization

This page lists the product lines that exist in the segment selected. To create product lines, click Add. Or select an option from a list box and click List. Options apply to the corresponding product line. For example, to view models contained within a product line, highlight Models and click List.

Delete	Product Line	Select	List	Start Date (mm/dd/yyyy hh:MM AM/PM)	End Date (mm/dd/yyyy hh:MM AM/PM)	Internal use only	Inactive
<input type="checkbox"/>	Pump 1	Models	List			<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	test prod 2	Models	List			<input type="checkbox"/>	<input type="checkbox"/>

Back to Top

Add Update Delete Hide Attributes Cancel

Powered By  
 BIGMACHINES

SUBSCRIBER A Footer information

Done Internet

1057513-012502



Fig. 7

Product Line Administration: Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Stop Refresh Home Search Favorites History Mail Print

Address http://patent.bgmachines.com/admin/products/admin\_pline.php?product\_line\_id=12498&segment\_id=10

Company Preferences

Product Line Administration

General

Users  
Groups  
Parts  
ESales  
Customer Relationship Manager  
Commerce Customization

\*Name Pump 1

Description pump 1 description

Edit HTML

file One Id Browse...

Current file One Id:

file Two Id Browse...

Current file Two Id:

Selector: Pump Sizing

Types: Pumps

Applications: Pump Application  
Mining  
Abrasive  
Dewatering

Performance

Pressure (max) 100.0 MPa

Pressure (min) 30.0 MPa

Flow Rate (max) 300.0 m3/hr

Flow Rate (min) 50.0 m3/hr

Head (max) 50.0 m H2O

Head (min) 45.0 m H2O

\*NPSHR (min) 1234.0 m H2O

Fluid Properties

Particle Size (max) 1.5 millimeter

Percent Solids (max) 10.0

Done Internet

10057513.012502

Fig. 8

Model Administration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Forward Stop Refresh Home Search Favorites History Mail Print

Address http://patent.bgmachines.com/admin/products/edit\_model.asp Go Links

SUBSCRIBER A Header Information  
 Company Information: [Commerce](#) | [Admin](#) | [Help](#) | [Logout](#)

Company Profile  
 Company Preferences

Model Administration Product Line: Pump 1

General

Users  
 Groups  
 Parts  
 ESales  
 Customer Relationship Manager  
 Commerce Customization

\*Name model under pump1  
 test

Description  
 Edit HTML

Pressure (max) 100.0 MPa  
 Pressure (min) 30.0 MPa  
 Flow Rate (max) 300.0 m3/hr  
 Flow Rate (min) 50.0 m3/hr  
 Head (max) 100.0 m H2O  
 Head (min) 25.0 m H2O  
 \*NPSHR 30.0 m H2O  
 Speed (max strokes.rpm) 98.0  
 Power Usage (max) 50.0 kW  
 Weight 2300.0 kg  
 file One Id Browse...  
 Current file One Id:  
 file Two Id Browse...  
 Current file Two Id:  
 Price 100.0

Back to Top

Done Internet

1057513-012502

Fig. 9a

10057513-012502

Configurable Attributes Administration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Forward Stop Refresh Home Search Favorites History Mail Print

Address http://patent.bigmachines.com/admin/products/admin\_attribute.php?attribute\_id=124950&ref\_id=1249453&ref\_type=4&ref\_category=1&discrete=0 Go Links

SUBSCRIBER A Header Information  
Company Information Commerce Admin Help Logout  
Company Profile  
Company Preferences Note: Recommendations for a given attribute can only be based on attributes of a lower order (1 being the lowest). The variable name is used to refer to the attribute when using functions. Once a variable name is entered, it cannot be changed. Modifying or deleting values may affect the functionality of related rules that use them.

Users  
Groups  
Parts  
ESales  
Customer Relationship Manager  
Commerce Customization

Configurable Attribute Administration

\*Configurable Attribute: seals  
Attribute: seals  
Attribute Order: 2  
Attribute Variable Name: sealnumber  
Value Type: ☒ Numeric ☐ Non Numeric  
Set: None  
Attribute is required: ☒  
Default:  
Validation: Number in Range  
Minimum Value: 1.0  
Maximum Value: 67.0

Back to Top

Update Cancel

Powered By BIGMACHINES

SUBSCRIBER A Footer information

Done Internet

Fig. 9b

1057513-012502

Configurable Attributes Administration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Stop Refresh Home Search Favorites History Mail Print

Address http://patent.bigmachines.com/admin/products/admin\_attribute.asp?attribute\_id=1249493&end\_id=1249493&end\_type=4&end\_category=1&discoten=1 Go Links

SUBSCRIBER A Header Information

Company Information Commerce Admin Help Logout

Company Profile

Company Preferences Note: Recommendations for a given attribute can only be based on attributes of a lower order (1 being the lowest). The variable name is used to refer to the attribute when using functions. Once a variable name is entered, it cannot be changed. Modifying or deleting values may affect the functionality of related rules that use them.

Users

Groups

Parts

ESales

Customer Relationship Manager

Commerce

Customization

Configurable Attributes Administration

Configurable Attribute: color

Attribute Order: 1

Attribute Variable Name: color

Value Type: ☐ Numeric ☒ Non Numeric

Set: Set

Display type: Pulldown menu

Value: green white granite red

Default: granite

Add Remove

Set Default Clear Default

Back to Top

Associate Images Update Cancel

Powered By BIGMACHINES

SUBSCRIBER A Footer information

Done Internet

Fig. 10

Constraint Editor - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Forward Stop Refresh Home Search Favorites History Mail Print

Address http://patent.bgmachines.com/admin/products/admin\_rule\_editor.asp?rule\_id=1250133&ref\_id=1269433&ref\_type=44&ref\_category=1&rule\_type=2

Company Profile

Company Preferences

Users

Groups

Parts

ESales

Customer Relationship Manager

Commerce Customization

**Constraint Editor**

**General**  
 Description: |green, seal must be 3.2

**Condition**

Condition Type

☒ Simple conditions -- specify conditions next to each selected attribute below using predefined comparators and values.  
☐ Advanced function -- check attributes below to use as inputs to condition function (any simple conditions specified next to attribute in next section will be ignored)

[Define Function](#)

Select	Attribute Name	Value	(if range is applicable)	Value (max)
<input checked="" type="checkbox"/>	color	=	green	
<input type="checkbox"/>	seals	=		
<input type="checkbox"/>	length	=	5	5

**Action Constraint**


Select	Attribute Name	Comment	Value Constraint
<input type="checkbox"/>	color		<input type="radio"/> green <input type="radio"/> white <a href="#">Define Function</a>
<input checked="" type="checkbox"/>	seals	Manufacturer's constraint	<input type="radio"/> 3.2 <a href="#">Define Function</a>
<input type="checkbox"/>	length		<input type="radio"/> 5 <input type="radio"/> 28 <a href="#">Define Function</a>

[Back to Top](#)

[Update](#) [Cancel](#)

1057513-012502

Fig. 11



10057513-012502




Fig. 12

10057513.012502




Fig. 13






Fig. 14

10057513.012502

display\_company\_profile[2]

```
<html>
<head>
<title>BigMachines.com Commerce</title>
```

10057513.012502

```
<meta http-equiv="Pragma" content="no-cache">
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
<script language="JavaScript">
<!--
function submitenter(myfield,e)
{
    var keycode;
    if (window.event) keycode = window.event.keyCode;
    else if (e) keycode = e.which;
    else return true;

    if (keycode == 13)
    {
        myfield.form.submit();
        return false;
    }
    else
        return true;
}

function validate_form_login(frm){
    bmCheckString(frm.username, "Username@Company");
    bmCheckString(frm.psword, "Password");
}

function MM_swapImgRestore() { //v3.0
    var i,x,a=document.MM_sr; for(i=0;a&&i<a.length&&(x=a[i])&&x.oSrc;i++) x.src=x.oSrc;
}
```

FIG. 15a

```
display_company_profile[2]
function MM_findObj(n, d) { //v3.0
    var p,i,x; if (!d) d=document; if ((p=n.indexOf("?"))>0&&parent.frame
s.length) {
        d=parent.frames[n.substring(p+1)].document; n=n.substring(0,p);}
    if (!(x=d[n])&&d.all) x=d.all[n]; for (i=0;!x&&i<d.forms.length;i++)
x=d.forms[i][n];
    for(i=0;!x&&d.layers&&i<d.layers.length;i++) x=MM_findObj(n,d.layers
[i].document); return x;
}

function MM_swapImage() { //v3.0
    var i,j=0,x,a=MM_swapImage.arguments; document.MM_sr=new Array; for(
i=0;i<a.length-2;i+=3)
        if ((x=MM_findObj(a[i]))!=null){document.MM_sr[j++]=x; if(!x.oSrc)
x.oSrc=x.src; x.src=a[i+2];}
}
//-->
</script>
<link rel="stylesheet" href="/bmfsweb/ksb/ksb.css">
</head>
<body bgcolor="#FFFFFF">
<a name="top"></a>
<!-- Begin Header here -->
<SCRIPT LANGUAGE="JavaScript"><!--
    var libBrowserCheckReady = false;
    var dhtmlOK;
    var imageReplaceOk;
    var libTimer1;
    var imageName;

    function doMouseOver (imageName, stdImage) {
        if (libBrowserCheckReady)
            if (imageReplaceOk) mouseOver (imageName, stdImage);
        else {
            clearTimeout(libTimer1);
            libTimer1 = setTimeout("doMouseOver (imageName, stdIma
ge)", 100);
        }
        return;
    }
    function doMouseOut (imageName, stdImage) {
        if (libBrowserCheckReady)
            if (imageReplaceOk) mouseOut (imageName, stdImage);
        else {
            clearTimeout(libTimer1);
            libTimer1 = setTimeout("doMouseOut (imageName, stdImag
e)", 100);
        }
    }
}
```

FIG. 15b

display\_company\_profile[2]

```
return;

// -->
</SCRIPT>
<SCRIPT LANGUAGE="JavaScript" SRC="http://www.ksb.de/lib/browser_c
heck.js"></SCRIPT>
<SCRIPT LANGUAGE="JavaScript" SRC="http://www.ksb.de/lib/active_im
ages.js"></SCRIPT>
<TABLE BORDER="0" CELLSPACING="0" CELLSPACING="0" WIDTH="610">
<TR>
<TD ROWSPAN="4"><!-- DO NOT EDIT THIS LINE, AUTOMATICALLY CREATED
COUNTER --><IMG SRC="http://www.ksb.de/english/corporate/cgi-bin/ksb/C
P/english/corporate/philosophy.html" ALT="" WIDTH="1" HEIGHT="1" HSPAC
E="0" VSPACE="0"></TD>
<TD><A HREF="http://www.ksb.de/english/corporate/philosophy.html"
onMouseOver="doMouseOver('nav1', 'nav1');" onMouseOut="doMouseOut('nav
1', 'nav1');"
><IMG SRC="http://www.ksb.de/images/english/menu/corporate_data
.1.gif" ALT="CORPORATE DATA" WIDTH="93" HEIGHT="9" BORDER="
0"></A></TD>
<TD><IMG SRC="http://www.ksb.de/images/fill.gif" ALT="" WIDTH="10"
HEIGHT="9"></TD>
<TD><A HREF="http://www.ksb.de/english/locations/world.html" onMou
seOver="doMouseOver('nav2', 'nav1');" onMouseOut="doMouseOut('nav2', '
nav1');"
><IMG SRC="http://www.ksb.de/images/english/menu/locations.0.gi
f" ALT="LOCATIONS" WIDTH="59" HEIGHT="9" BORDER="
0"></A></TD>
<TD><IMG SRC="http://www.ksb.de/images/fill.gif" ALT="" WIDTH="10"
HEIGHT="9"></TD>
<TD><A HREF="http://www.ksb.de/english/products/pumps/waste.html"
onMouseOver="doMouseOver('nav3', 'nav1');" onMouseOut="doMouseOut('na
v3', 'nav1');"
><IMG SRC="http://www.ksb.de/images/english/menu/products_servi
ces.0.gif" ALT="PRODUCTS AND SERVICES" WIDTH="133" HEIGHT="9" BORDER="
0"></A></TD>
<TD><IMG SRC="http://www.ksb.de/images/fill.gif" ALT="" WIDTH="10"
HEIGHT="9"></TD>
<TD><A HREF="http://www.ksb.de/english/career/mission.html" onM
ouseOver="doMouseOver('nav4', 'nav1');" onMouseOut="doMouseOut('nav4',
'nav1');"
><IMG SRC="http://www.ksb.de/images/english/menu/jobs_career.0.
gif" ALT="JOBS AND CAREER" WIDTH="80" HEIGHT="9" BORDER="
0"></A></TD>
<TD><IMG SRC="http://www.ksb.de/images/fill.gif" ALT="" WIDTH="10"
HEIGHT="9"></TD>
<TD><A HREF="http://www.ksb.de/english/press/releases/index.html"
onMouseOver="doMouseOver('nav5', 'nav1');" onMouseOut="doMouseOut(
```

P16. 15c

## display\_company\_profile[2]

```

'nav5', 'nav1');"
    ><IMG SRC="http://www.ksb.de/images/english/menu/investor_press
.0.gif" ALT="INVESTOR AND PRESS" WIDTH="96" HEIGHT="9" BORDER="0
"></A></TD>
    <TD><IMG SRC="http://www.ksb.de/images/fill.gif" ALT="" WIDTH="10"
HEIGHT="9"></TD>
    <TD><A HREF="http://www.ksb.de/english/contact/information.html"
onMouseOver="doMouseOver('nav6', 'nav1');" onMouseOut="doMouseOut('nav
6', 'nav1');"
    ><IMG SRC="http://www.ksb.de/images/english/menu/contact_us.0.g
if" ALT="CONTACT US" WIDTH="66" HEIGHT="9" BORDER="
0"></A></TD>
<!-- // Falls gewuenscht, kann der Abstand zwischen Text und den Pfeil
en auch vergroessert werden.
// Einfach folgene Zeile auskommentieren.
// (Beim KSB-I-Server war der Abstand naemlich groesser!) -->
<!--
</TR><TR>
    <TD COLSPAN="11"><IMG SRC="http://www.ksb.de/images/fill.gif" ALT=
" WIDTH="610" HEIGHT="3"></TD>-->
</TR><TR ALIGN="CENTER">
    <!-- white.gif statt fill.gif verwenden, da Netscape 3 fuer Macint
osh Bilder NICHT
    austauscht, sondern ueberblendet. D.h. innerhalb kuerzester Z
eit sind ueberall
    Pfeile, so dass die Orientierungshilfe nutzlos wird. -->
    <TD><IMG SRC="http://www.ksb.de/images/arrow.up.gif" ALT="" WIDTH=
"8" HEIGHT="13" NAME="nav1"></TD>
    <TD><IMG SRC="http://www.ksb.de/images/fill.gif" ALT="" WIDTH=
"10" HEIGHT="10"></TD>
    <TD><IMG SRC="http://www.ksb.de/images/white.gif" ALT="" WIDTH=
"8" HEIGHT="13" NAME="nav2"></TD>
    <TD><IMG SRC="http://www.ksb.de/images/fill.gif" ALT="" WIDTH=
"10" HEIGHT="10"></TD>
    <TD><IMG SRC="http://www.ksb.de/images/white.gif" ALT="" WIDTH=
"8" HEIGHT="13" NAME="nav3"></TD>
    <TD><IMG SRC="http://www.ksb.de/images/fill.gif" ALT="" WIDTH=
"10" HEIGHT="10"></TD>
    <TD><IMG SRC="http://www.ksb.de/images/white.gif" ALT="" WIDTH=
"8" HEIGHT="13" NAME="nav4"></TD>
    <TD><IMG SRC="http://www.ksb.de/images/fill.gif" ALT="" WIDTH=
"10" HEIGHT="10"></TD>
    <TD><IMG SRC="http://www.ksb.de/images/white.gif" ALT="" WIDTH=
"8" HEIGHT="13" NAME="nav5"></TD>
    <TD><IMG SRC="http://www.ksb.de/images/fill.gif" ALT="" WIDTH=
"10" HEIGHT="10"></TD>
    <TD><IMG SRC="http://www.ksb.de/images/white.gif" ALT="" WIDTH=
"8" HEIGHT="13" NAME="nav6"></TD>

```

display\_company\_profile[2]

```
</TR><TR>
  <TD COLSPAN="11"><IMG SRC="http://www.ksb.de/images/menuline.gif"
  ALT="" WIDTH="610" HEIGHT="1"></TD>
</TR><TR>
  <TD COLSPAN="11" ALIGN="CENTER" VALIGN="TOP">
    <TABLE BORDER="0" CELSPACING="0" CELLPADDING="0">
      <TR ALIGN="CENTER">
        <!-- white.gif statt fill.gif verwenden, siehe oben -->
        <TD><IMG SRC="http://www.ksb.de/images/arrow.down.gif" ALT=""
        WIDTH="8" HEIGHT="13" NAME="menu1"></TD>
        <TD><IMG SRC="http://www.ksb.de/images/fill.gif" ALT=""
        WIDTH="10" HEIGHT="10"></TD>
        <TD><IMG SRC="http://www.ksb.de/images/white.gif" ALT=""
        WIDTH="8" HEIGHT="13" NAME="menu2"></TD>
        <TD><IMG SRC="http://www.ksb.de/images/fill.gif" ALT=""
        WIDTH="10" HEIGHT="10"></TD>
        <TD><IMG SRC="http://www.ksb.de/images/white.gif" ALT=""
        WIDTH="8" HEIGHT="13" NAME="menu3"></TD>
        <TD><IMG SRC="http://www.ksb.de/images/fill.gif" ALT=""
        WIDTH="10" HEIGHT="10"></TD>
        <TD><IMG SRC="http://www.ksb.de/images/white.gif" ALT=""
        WIDTH="8" HEIGHT="13" NAME="menu4"></TD>
        <TD><IMG SRC="http://www.ksb.de/images/fill.gif" ALT=""
        WIDTH="10" HEIGHT="10"></TD>
        <TD><IMG SRC="http://www.ksb.de/images/white.gif" ALT=""
        WIDTH="8" HEIGHT="13" NAME="menu5"></TD>
      </TR><TR>
        <TD><A HREF="http://www.ksb.de/english/corporate/philosophy.ht
        ml" onMouseOver="doMouseOver('menu1', 'menu1');" onMouseOut="doMouseOu
        t('menu1', 'menu1');"
        ><IMG SRC="http://www.ksb.de/images/english/menu/corporate/phil
        osophy.1.gif" ALT="PHILOSOPHY" WIDTH="67" HEIGHT="9" BORDER="0"></A>
      </TD>
        <TD><IMG SRC="http://www.ksb.de/images/fill.gif" ALT="" WIDTH=
        "9" HEIGHT="9"></TD>
        <TD><A HREF="http://www.ksb.de/english/corporate/history.html"
        onMouseOver="doMouseOver('menu2', 'menu1');" onMouseOut="doMouseOu
        t('menu2', 'menu1');"
        ><IMG SRC="http://www.ksb.de/images/english/menu/corporate/hist
        ory.0.gif" ALT="HISTORY" WIDTH="45" HEIGHT="9" BORDER="0"></A>
      </TD>
        <TD><IMG SRC="http://www.ksb.de/images/fill.gif" ALT="" WIDTH=
        "9" HEIGHT="9"></TD>
        <TD><A HREF="http://www.ksb.de/english/corporate/sales.html"
        onMouseOver="doMouseOver('menu3', 'menu1');" onMouseOut="doMouseOu
        t('menu3', 'menu1');"
        ><IMG SRC="http://www.ksb.de/images/english/menu/corporate/key_
        figures.0.gif" ALT="KEY FIGURES" WIDTH="67" HEIGHT="9" BORDER="0"></A>
      </TD>
    </TABLE>
  </TD>
</TR>
```

FIG. 15e

display\_company\_profile[2]

```
</TD>
  <TD><IMG SRC="http://www.ksb.de/images/fill.gif" ALT="" WIDTH=
"9" HEIGHT="9"></TD>
  <TD><A HREF="http://www.ksb.de/english/corporate/environment.h
tml"
    onMouseOver="doMouseOver('menu4', 'menu1');" onMouseOut="doM
ouseOut('menu4', 'menu1');"
    ><IMG SRC="http://www.ksb.de/images/english/menu/corporate/envi
ronment.0.gif" ALT="ENVIRONMENTAL POLICY" WIDTH="131" HEIGHT="9" BORDE
R="0"></A></TD>
  <TD><IMG SRC="http://www.ksb.de/images/fill.gif" ALT="" WIDTH=
"9" HEIGHT="9"></TD>
  <TD><A HREF="http://www.ksb.de/english/corporate/links_e.html"
    onMouseOver="doMouseOver('menu5', 'menu1');" onMouseOut="doMouse
Out('menu5', 'menu1');"
    ><IMG SRC="http://www.ksb.de/images/english/menu/corporate/link
se.0.gif" ALT="KSB ON THE WEB" WIDTH="89" HEIGHT="9" BORDER="0"></A></
TD>
</TR>
</TABLE>
</TD>
</TR>
</TABLE>
<IMG SRC="http://www.ksb.de/images/fill.gif" ALT="" WIDTH="1" HEIGHT="
20">
<TABLE BORDER="0" CELLSPACING="0" CELLSPADDING="0" WIDTH="610">
<TR VALIGN="TOP">
  <TD COLSPAN="3"><IMG SRC="http://www.ksb.de/images/linedark.gif" A
LT="" WIDTH="610" HEIGHT="1"></TD>
</TR>
</TABLE>
<!-- End of Header -->
<table width="100%" border="0" cellspacing="0" cellpadding="0">
  <tr valign="top">
    <td width="150" class="default">
      <br>
<!-- if eSales include sidebar here -->
      <SCRIPT LANGUAGE=JavaScript1.2 SRC="/js/FormCheck.js">
</SCRIPT>
<SCRIPT LANGUAGE=JavaScript1.2 SRC="/js/BmFormCheck.js"></SCRIPT>
<form name=loginform method="post">
  <table width="150" border="0" cellspacing="0" cellpadding="0"
    height="76">
    <tr>
      <td height="40"> &nbsp; user@Company:<br>
<script language="JavaScript">
if (navigator.appName == "Netscape")
```

FIG. 15g



105/1012

Fl 6, 15;

1005-1010

display\_company\_profile[2]

```
cellpadding="0">
    <table width="100%" border="0" cellspacing="0"
    <tr class=top-bar>
        <td>
            <table width=21 border=0 cellspacing=0 cellpadding=0
height=20>
                <tr>
                    <td class=top-left-icon>&nbsp;</td>
                </tr>
            </table>
        </td>
        <td class=top-bar width="100%">&nbsp;<div>Parts Search</div></td>
        <td class=top-bar width="10"></td>
    </tr>
</table>

    <SCRIPT LANGUAGE=JavaScript1.2 SRC="/js/FormCheck.js">
</SCRIPT>
<SCRIPT LANGUAGE=JavaScript1.2 SRC="/js/BmFormCheck.js"></SCRIPT>
    <table class=bordercolor border=0 cellpadding=1 cellsp
acing=0 width="100%">
        <tr>
            <td>
                <table class=topcolor border=0 cellpadding=1 cellspacing=0 wid
th="100%">
                    <tr>
                        <td>
                            <table width="100%" border="0" cellspacing="1" cellpadding
="1">
                                <tr class=bgcolor-view>
                                    <td class="view-header" colspan=3>Search for part by s
erial number</td>
                                </tr>

                                <form name=parts_bmForm1 method=post action="/commerce/p
arts/serial_number_search_results.jsp">
```

display\_company\_profile[2]

```
value="8487">
    <input type="hidden" name="companies"
    <tr class=bgcolor-view>
    <td class="form-label" width="250">*Serial Number:</
    <input class=form-label type="hidden" name="asc" val
    ue="ASC">
    <input class=form-label type="hidden" name="orderby"
    value="serial_number">
    <td>
    <!--%=HtmlUtil.textField(request, "s
    erial_number", 25, 25, false)%-->
    <script>
    if (navigator.appName=="Netsca
    pe")
    document.write(' <input
    t class=form-input type=text value="" name=serial_number size=25 maxle
    ngth=25 onKeyDown = "return Search$NOnReturnKey(event)"> ')
    else
    document.write(' <input
    t class=form-input type=text value="" name=serial_number size=25 maxle
    ngth=25 onPress = "return Search$NOnReturnKey(event)"> ')
    </script>
    </td>
    <td>
    <table border="0" cellspacing="0" cellpadding="0">
    <tr>
    <td class=button-left></td>
    <td class=button-middle nowrap><a class=button-text hr
    ef="javascript:bmSubmitForm( '/commerce/parts/serial_number_search_res
    ults.jsp', document.parts_bmForm1, bmValidateForm)">Search</a></td>
    <td class=button-right></td>
    </tr>
    </table>
    </td>
    </tr>
    </form>
    <tr>
    <td><br>
    </td>
    </tr>
    <tr class=view-header>
    <td class="view-header" colspan=3>Search for part by p
```

```
display_company_profile[2]
art number</td>
</tr>
<form name=parts_bmForm2 method=post action="/commerce/p
arts/part_search_results.jsp">

<input type="hidden" name="companies"
value="8487">

<tr class=bgcolor=form>
  <td class="form-label" width="250">*Keyword:</td>
  <input type="hidden" name="asc" value="ASC">
  <input type="hidden" name="orderby" value="part_numbe
er">

  <td>
    <!--%=HtmlUtil.textField(request, "q
uery", 25, 25, false)%-->

    <table><tr><td>

    <script>
      if (navigator.appName=="Netsca
pe")
        document.write(' <input
t class=form-input type=text value="" name=query size=25 maxlength=25
onKeyDown = "return SearchPNOnReturnKey(event)"> ')
      else
        document.write(' <input
t class=form-input type=text value="" name=query size=25 maxlength=25
onKeyPress = "return SearchPNOnReturnKey(event)"> ')
    </script></td>

    <td><select class="form-input" name
="language">
<option selected value="-1">English</option>
<option value="0">German</option>
<option value="1">French</option>
<option value="2">Spanish</option>
<option value="3">Italian</option>
</select></td></tr></table>

    </td>
    <td width=1000>

<table border="0" cellspacing="0" cellpadding="0">
  <tr>
    <td class=button-left></td>
    <td class=button-middle nowrap><a class=button-text hr
ef="javascript:bmSubmitForm( '/commerce/parts/part_search_results.jsp'
, document.parts_bmForm2, bmValidateForm1)">Search</a></td>
    <td class=button-right></td>
```

display\_company\_profile[2]

</tr>  
</table>  
</td>

</tr>  
</form>  
</table>  
</td>

</tr>  
</table>  
</td>

</tr>  
</table>

<script>

if (navigator.appName=="Netscape")

{  
    window.captureEvents(Event.KEYPRESS);

function SearchSNonReturnKey(e) {

    var charCode;

    if (window.event) charCode = window.event.keyCode;

    else if (e) charCode = e.which;

    else return true;

    if (charCode == 13) {

        bmSubmitForm( '/commerce/parts/serial\_number\_search\_re  
sults.jsp', document.parts\_bmForm1, bmValidateForm);

        if( bmErrorString == "" )

            return true;

        else

            return false;

    }

    return true;

function SearchPNonReturnKey(e) {

    var charCode;

    if (window.event) charCode = window.event.keyCode;

    else if (e) charCode = e.which;

    else return true;

    if (charCode == 13) {

        bmSubmitForm( '/commerce/parts/part\_search\_results.jsp  
, document.parts\_bmForm2, bmValidateForm1);

        if( bmErrorString == "" )

            return true;

        else

            return false;

```

                                display_company_profile[2]
        }
        return true;
    }

function bmValidateForm( form ) {
    if( form.companies.selectedIndex == -1 )
        bmErrorMessage += "You must select at least one company
        to search on.\n";

    if( form.serial_number.value == "" )
        bmErrorMessage += "The serial number search input field
        cannot be blank.\n";

    if( form.serial_number.value == "*" )
        bmErrorMessage += "You must enter at least one alphanum
        eric character before the wildcard character.\n";

    var wildcard = form.serial_number.value.indexOf("*");
    if( wildcard != -1 ) {
        if( wildcard != form.serial_number.value.length - 1 )
            bmErrorMessage += "There cannot be any characte
            rs after the wildcard.\n";
    }
}

function bmValidateForm1( form ) {
    if( form.companies.selectedIndex == -1 )
        bmErrorMessage += "You must select at least one company
        to search on.\n";

    if( form.query.value == "" )
        bmErrorMessage += "The part search input field cannot b
        e blank.\n";

    if( form.query.value == "*" )
        bmErrorMessage += "You must enter at least one alphanum
        eric character before the wildcard character.\n";

    var wildcard = form.query.value.indexOf("*");
    if( wildcard != -1 ) {
        if( wildcard != form.query.value.length - 1 )
            bmErrorMessage += "There cannot be any characte
            rs after the wildcard.\n";
    }
}

</script>

```

display\_company\_profile[2]

```
        </td>
    </tr>
    <tr><td>&nbsp;</td></tr>
    <tr>
        <td>
```

```
10057513.012502
<table width="100%" border="0" cellspacing="0" cellpadding="0">
  <tr class=top-bar>
    <td>
      <table width=21 border=0 cellspacing=0 cellpadding=0 height=20>
        <tr>
          <td class=top-left-icon>&nbsp;</td>
        </tr>
      </table>
    </td>
    <td class=top-bar width="100%">&nbsp;<Featured Products</td>
    <td class=top-bar width="10%"></td>
  </tr>
</table>

<table class=bordercolor border=0 cellpadding=1 cellspacing=0 width="1
00%">
  <tr>
    <td>
      <table class=topcolor border=0 cellpadding=1 cellspacing=0 width
="100%">
        <tr>
          <td class=general-text height=100%>

          <ul>
```



display\_company\_profile[2]

```

<li> <a class=general-text href="/commerce/new_equipment
/products/attrib_search.jsp?segment_id=10&company_id=8487">Pumps</a> <
/li>

```

```

<li> <a class=general-text href="/commerce/new_equipment
/products/attrib_search.jsp?segment_id=11&company_id=8487">Valves</a>
</li>

```

```

<li> <a class=general-text href="/commerce/new_equipment
/products/attrib_search.jsp?segment_id=21&company_id=8487">Air Compres
sors</a> </li>

```

```

</ul>
</td>
</tr>
</table>
</td>
</tr>
</table>
<!-- end of eSales -->
<br>

```

```

</td>
</tr>
</table>
</html>

```

```

<!-- end eSales main -->

```

```

</td>
</tr>
</table>
<!-- Footer here -->
<table border="0" cellpadding="0" cellspacing="0"><tr><td width="150p
x" class="default">&nbsp;</td><td align=left>&nbsp;<a target = "_blank
" href="http://www.bigmachines.com" class="general-text"></a></td></tr></table>
<table>
<TR VALIGN="BOTTOM">
<TD ALIGN="CENTER"><IMG SRC="http://www.ksb.de/images/logos/static.g
if" ALT="KSB" WIDTH="91" HEIGHT="40"></TD>
</TR>
</TABLE> <!-- End of Footer -->
</body>

```

display\_company\_profile[2]

</html>

10057513.012502

FIG. 15g

Fig. 16

1057513-012502

BigMachines.com Commerce - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Stop Refresh Home Search Favorites History Mail Print

Address http://patent.bigmachines.com/commerce/display\_company\_profile.asp?company\_id=124738 Go Links

SUBSCRIBER A Header Information *This is where you would put the header text.*  
[Commerce](#) | [Admin](#) | [Help](#) | [Logout](#)

Good Afternoon,  
Super User

Welcome To patent.

Home  
RFQ Management  
Direct Buy

Subscriber profile in this area. Any information may be added in this area, including company's logo. *Here is some profile text, made italic with html tag through the built-in editor.*

**Parts Search**

Search for part by serial number  
\*Serial Number:

Search for part by part number  
\*Part Number:

Search for part by descriptive keyword  
\*Keyword:  English

**Equipment Products**

- Valves
- Motor Couplings
- Linear Motors
- Stepper Motors
- Servo Motors
- Drive Motors
- Gas Compressors
- Liquid Filters
- Air Compressors
- Filter Cartridges
- Filter Bag Housing
- Mechanical Seals
- Filter Bags
- Air Filters
- Vacuum
- Vacuum Pumps
- Electronic Formers
- Fork Lifts
- Machining Centers
- Heavy Mixers

Done Internet

Fig. 17

